

SHEFFIELD PARK TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
6	6/3	0	11/2	4/2



GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R5H2FB6DB

PROJECT#: ZCY157CE49B-2

DATE: 9/15/2015 | DRAWN BY: MDM

MIN. USE ZONE: 58' x 46'

PLAYCRAFT REP:

Zenon Company



SHEFFIELD PARK
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
3	3/2	0	1/1	0/1


R5

FOR KIDS
AGES
2-5

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R504DC0EA
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

MIN. USE ZONE: 26' x 21'

PLAYCRAFT REP:
Zenon Company



SHEFFIELD PARK
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	6/0	1/0


R5

FOR KIDS
AGES
2-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: FREPC2123+AB(2)
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

MIN. USE ZONE: 47' x 31'

PLAYCRAFT REP:
Zenon Company



SHEFFIELD PARK
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0




FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 1921
TYKE
SEESAW



STRUCTURE#: FREPC1921
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

MIN. USE ZONE: 20' x 14'

PLAYCRAFT REP:
Zenon Company



SHEFFIELD PARK
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0	1/0	1/0




FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 2457
BUCKET
SPINNER



STRUCTURE#: FREPC2457
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

MIN. USE ZONE: 15' x 14'

PLAYCRAFT REP:
Zenon Company



SHEFFIELD PARK
SITE PLAN

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
9	9/5	0	20/3	5/3

R5


FOR KIDS
AGES
[Mixed]

GENERAL NOTES:

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Krauss Craft, Inc. will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

MIN. USE ZONE: 91' x 64'

PLAYCRAFT REP:
Zenon Company



SHEFFIELD PARK
SW VIEW

RH5

FOR KIDS
AGES
5-12



STRUCTURE#: R5H2FB6DB
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM



SHEFFIELD PARK
SE VIEW

RH5

FOR KIDS
AGES
5-12



STRUCTURE#: R5H2FB6DB
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

PLAYCRAFT
SYSTEMS

SHEFFIELD PARK
NE VIEW

RH5

FOR KIDS
AGES
5-12



STRUCTURE#: R5H2FB6DB
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

PLAYCRAFT
SYSTEMS

SHEFFIELD PARK
NW VIEW

RH5

FOR KIDS
AGES
5-12



STRUCTURE#: R5H2FB6DB
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM



SHEFFIELD PARK
SW VIEW

R5

FOR KIDS
AGES
2-5



STRUCTURE#: R504DC0EA
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM



SHEFFIELD PARK
SE VIEW

R5

FOR KIDS
AGES
2-5



STRUCTURE#: R504DC0EA
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

SHEFFIELD PARK
NE VIEW

R5

FOR KIDS
AGES
2-5



STRUCTURE#: R504DC0EA
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM

SHEFFIELD PARK
NW VIEW

R5

FOR KIDS
AGES
2-5



STRUCTURE#: R504DC0EA
PROJECT#: ZCY157CE49B-2
DATE: 9/15/2015 | DRAWN BY: MDM





Bill of Materials

SHEFFIELD PARK
Larry Yasdick
1685 W. Higgins Rd.
Hoffman Estates, IL. 60195
847-885-7500

Project# ZCY157CE49B-2
9/15/2015

Item	Description	Quantity
R5H2FB6DB		
HS-1004-R	Collars	50
A2-1517	Link, Web	1
GF-7002	Dome Cap, R5	14
S-10114-RV5	Post (114in)	2
S-1011-R5-11ft	Post, 11ft R5	6
S-10120-RV5	Post (120in)	1
S-1012-R5-12ft	Post, 12ft R5	1
S-10132-RV5	Post (132in)	4
S-10138-RV5	Post (138in)	1
S-1013-R5-13ft	Post, 13ft R5	2
S-1015-R5-15ft	Post, 15ft R5	5
S-1101-R5	Square Deck	1
S-1102-R5	Tri-Deck	1
S-1103-R5	Hex Deck, Half (5 Post)	1
S-1109-R5	Balcony Deck	1
S-1206-24R45	ADA Stairs, 24in Rise w/ Walls	1
S-1206-36R5	ADA Stairs, 36in Rise w/ Walls	1
S-1209-24-R5	Transfer Station, 36in-R	1
S-1238-R5PST	Climber, Freeform	1
S-1248-8R5	Climber, Poly Climb Wall 90-96in	1
S-1267-RH5	Climber, Matrix Steel Net Wall (RH5)	1
S-1268-RH5	Link, Ribbon	1
S-1277-RV5	Climber, Angled Lunar (Post Mount)	1
S-1279-RV5	Climber, Angled Puzzle (Post Mount)	1
S-1314-R5L	Access Wall (Left)	1

Item	Description	Quantity
S-1401-R5	End Access Ladder (1-Rung)	1
S-1403-R5	End Access Ladder (3-Rung)	1
S-1419-RV	Tri-Step (w/ Two Posts)	1
S-1420-R5	Traverse, Horizontal Ladder (Small, 360 Deg)	1
S-1435-RH5	Arch Loop (RV Post Mount)	1
S-1658-R5G	Drum Panel	1
S-1701-5R5H	Slide, Wave 60in (Single w/ Hood)	1
S-1707-8SPR5	Slide, Tube 96in (Spiral, Left, MC)	1
S-1710-8R5-LLLSR	Slide, Twister 96in (L-L-L-S-R)	1
S-1917-RVRL	Climber, Glide-N-Twist (Right Handle, Left Bend)	1
S-1947-RV	Tyke Tipper	1
S-19601-RV5	Tri-Rope Net Hub	1
S-1961-RV	Tri Pad	2
S-21263-RV	Launch Pad RV	5
HS-1007-RH	Extra Hardware	2
R504DC0EA		
HS-1004-R	Collars	12
GF-7002	Dome Cap, R5	4
S-1010-R5-10ft	Post, 10ft R5	4
S-1102-R5	Tri-Deck	2
S-1209-24-R5	Transfer Station, 36in-R	1
S-1232-3R5-HR	Climber, Track 30-36in (w/ Hand Rails)	1
S-16042-R5	Farm Sound Panel	1
S-1661-R5	Panel Pal, Bell	1
S-1705-R5H	Slide, Quarter Turn 36in (w/ Hood)	1
HS-1100-2	Deck to Deck Hardware	2
FREPC2123+AB(2)		
A2-2123-2B	PC 2123 Arch Swing (2B)	1
A2-2123-2FB-AB	PC 2123 Arch Swing (Right-Side, 2FB)	1
A2-2123-FB-ADA-AB	PC 2123 Arch Swing (Right-Side, 1FB, 1INC)	1



Bill of Materials (continued)

Item	Description	Quantity
FREPC1921		
A2-1921	PC 1921 Tyke Seesaw	1
FREPC2457		
A2-2457	PC 2457 Bucket Spinner	1