

HOFFMAN ESTATES PARK DISTRICT
Hoffman Estates, Illinois

FORM OF PROPOSAL

Proposal of Allstar Asphalt, hereinafter called the
"BIDDER", (a) / (an) Corp.
(Corporation, Partnership,
individual) doing business as S, to Hoffman Estates
Park District, hereinafter called the "OWNER."
* * *

The Bidder, in response to your advertisement for bids for **Asphalt Patching and Resurfacing at Triphahn & Willow Recreation Centers, Hassell Road Maintenance Facility, Bridges of Poplar Creek #10 Hole and High Point Park Paths** having examined the Specifications and other Documents and being familiar with all of the conditions surrounding the proposed work (purchase/sale) including availability of materials and labor, hereby proposes to furnish all labor, materials and supplies and to construct the project in accordance with the Contract Documents, within the time set forth therein and at the prices stated below. These prices are to cover all expenses incurred in performing the work required under the Contract Documents of which this proposal is a part.

Bidder acknowledges receipt of the following Addenda, which are a part of the Contract

Document: Numbers: _____, _____, _____, _____.

Bidders agree to provide all materials, labor and equipment to complete the following work Bidder also understands and will take into account in his bid the fact that scheduling of work may be impacted due to operational scheduling of facilities that dictate that all facilities remain available to the public. A tentative schedule is provided as a guide of possible work windows:

Item #1 Triphahn Center – 1685 W. Higgins Road
Item #1A Triphahn Center

In the South Parking Lot, compact existing stone base provided by concrete contractor, supply / place and compact 3" Bam asphalt to excavated area in drop off zone.

Cost per sq. yd \$ 18 assume 65 square yards Total #1A \$ 1,170

Item #1B Triphahn Center

Saw cut all areas designated to be patched. Remove existing surface bituminous asphalt to a depth of 2" below existing surface or to match adjacent concrete by mechanically grinding. Remove all ground material, dust and dirt from designated areas to be patched. Prime all ground areas. Supply /place and compact a minimum of 2" compacted surface asphalt to all ground areas.

Cost per sq. yd \$ 14 assume 3,500 square yards Total #1B \$ 49,000

Item #1C Triphahn Center

Contractor to strip Handi-Cap stalls \$ 30 per space X 8 total = \$ 240

Contractor to strip Parking stalls \$ 4 per stall X 12 total = \$ 48

Contractor to strip hash lines \$.30 per foot X 420 lin. feet total = \$ 126

Total Cost of Triphahn stripping \$ 414

TOTAL COST OF TRIPHAHN CENTER PAVING TEMS 1A, 1B & 1C \$ 50,584

If bam base failure is identified by owner, Saw cut all areas designated to be removed. Remove existing bituminous bam asphalt to stone subgrade. Compact subgrade. Place and compact 3" of bam asphalt to areas removed. Surface course provided in number above.

Cost to perform this additional work \$ 18 per square yard.

Item #2 Willow Recreation Center - 3600 Lexington Ave.

Saw cut all areas designated to be patched. Remove existing surface bituminous asphalt to a depth of 2" below existing surface or to match adjacent concrete by mechanically grinding. Remove all ground material, dust and dirt from designated areas to be patched. Prime all ground areas. Supply /place and compact a minimum of 2" compacted surface asphalt to all ground areas.

Cost per sq. yd \$ 16 assume 1665 square yards Total #2 \$ 26,640

If bam base failure is identified by owner, Saw cut all areas designated to be removed. Remove existing bituminous bam asphalt to stone subgrade. Compact subgrade. Place and compact 3" of bam asphalt to areas removed. Surface course provided in number above.

Cost to perform this additional work \$ 18 per square yard.

Item #3 Hassell Road Maintenance Facility - 2352 Hassell Road

Saw cut all areas designated to be patched. Remove existing surface bituminous asphalt to a depth of 2" below existing surface or to match adjacent concrete by mechanically grinding. Remove all ground material, dust and dirt from designated areas to be patched. Prime all ground areas. Supply /place and compact a minimum of 2" compacted surface asphalt to all ground areas.

Cost per sq. yd \$ 20 assume 950 square yards Total #3 \$ 19,000

If bam base failure is identified by owner, Saw cut all areas designated to be removed. Remove existing bituminous bam asphalt to stone subgrade. Compact subgrade. Place and compact 3" of bam asphalt to areas removed. Surface course provided in number above.

Cost to perform this additional work \$ 18 per square yard

Item #4 Poplar Creek Country Club 10th Hole cart path - 1400 Poplar Creek Drive
Contractor to final grade/ compact and prime existing stone base on newly constructed cart path with an approximately length of 610 feet. Supply/place and compact 2 1/2" (when compacted) surface bituminous final surface asphalt to proposed 8 foot wide cart path area.

Cost per sq. yd \$ 20 X 545 square yards = Total #4 \$ 10,900

Should additional stone be required to properly fine grade the base the additional placed cost for the additional material equipment and manpower shall be \$ 60 per ton.

Item #5 High Point Park Pathways - 1704 Glenlake Road

5A: Excavate designated areas **P-107** to a depth of 10" below existing grade. Remove spoils from site and dispose of them properly. Place and compact 6" grade 9 limestone, prime areas and place 2- 1/2" compacted surface asphalt. Note if mutually agreed, spoils may be used by paving contractor to rough grade & backfill along paths. All final landscape work by others.

Cost per sq.yd. \$ 30 assume 300 square yds = # 4A \$ 9000

5B: P110 Remove existing surface bituminous asphalt to a depth of 2" below existing surface by mechanically grinding. Remove all ground material, Remove all ground material, dust and dirt from designated areas to be repaved.

Cost per sq.yd. \$ 3 assume 1566 square yds = # 4B \$ 4698

5C: P-109 Remove all existing asphalt on paths to be re-constructed. Furnish new stone or re-grade existing stone to achieve a maximum 4.8% running slope with a cross slope of no greater than 1.8%. Prime all newly graded stone and pave with minimum thickness of 2 1/2" compacted surface course bituminous asphalt material.

Cost per sq.yd. \$ 30 assume 652 square yds = # 4C \$ 19560

5D: P104, P106, P108 Prime all existing asphalt, supply and install a scratch / leveling course of finish surface bituminous asphalt so as to establish a maximum of 4.80% running slope and maximum of 4.80% cross slope to all path areas shown on the plans. For the purposes of bidding this item the owner has furnished estimated square yard quantities for each of the types of applications: The bid price of this item will be based on a tonnage estimate provided by the owner. Actual invoicing will be based on the tonnage placed by the contractor X the installed unit price provided below. Should it be mutually agreed upon between the owner and the contractor that it is more cost effective to reconstruct certain areas than it is to level with asphalt, the reconstruction price(5C) per square yard will be used instead of this items unit price per finished ton.

P-104 Adjust for cross slope in excess of 4.80%	1,345 sq. yrds
P-106 Adjust for minor running slopes less than 6%	762 sq yrds.
P-108 Adjust for extreme running slopes greater than 6%	2,108 sq yrds.

Cost per ton \$ 67 assume 1300 tons of asphalt material = 4D \$ 87100

5E: P-111 Remove existing asphalt surface and stone base from areas P-111 areas to be removed. Contractor may re-use stone base for other project items. Contractor to dispose of any contaminated stone materials. Contractor to backfill removed path area with excavated material from new path construction (item 5A).

Cost per sq.yrd. \$ 18 assume 185 square yds. = 4E \$ 3330

5F: P-112 Clean and prime all existing asphalt surfaces to be paved including basketball court.

Cost per sq.yrd. \$.30 assume 9700 square yds. = 4F \$ 2910

5G: P-112 Furnish / place and compact a minimum of 1 ½" compacted bituminous asphalt surface course material to all paths and basketball court. The 1 ½" minimum compacted thicknesses shall be taken on the centerline of the path and shall extend to the edge of the path such that the cross slope does not exceed 1.8%.

Cost per sq.yrd. \$ 8 assume 9,694 square yds. = 4G \$ 77552

TOTAL Item#5A,5B,5C,5D,5E,5F&5G High Point Paths \$ 204150

The Owner desires to complete as much work as funds will allow for on this project. The final contract amount will be determined based on owner approved quantities installed by the contractor

The bidder understands that coordination of work will be affected by programming and the need to complete work to meet certain deadline dates. Work at Triphahn Center, Willow and High Point Park shall commence once concrete work is completed weather permitting. The Work on the golf path and at the maintenance facility can begin as soon as paving materials are available and weather is favorable for work. The bidder shall take into account all mobilization and or re-mobilization costs as part of his bid.

The bidder understands that total cost may be an issue and has submitted a price for each item not contingent on any or all other items and that all items may not be awarded to one contractor.

The Owner desires to complete as much work as funds will allow for on this project. The final contract amount will be determined based on owner approved quantities installed by the contractor.

Total Cost Item #1 Triphahn Center, #2 Willow Recreation Center, #3 Hassell Road Maintenance Facility, #4 Poplar Creek 10th Hole Cart Path & #5 High Point Park Paths. (All yellow highlighted numbers)

\$ 311,274

ALTERNATES

The contractor proposes the following alternates in accordance with the specifications and addenda. Said alternates include all labor, material, equipment charges for incidental expenses, general conditions, supervision, taxes, insurance, overhead and profit.

VOLUNTARY ALTERNATES

The contractor is encouraged to provide Voluntary Alternates. All Voluntary Alternates **must** be a modification to the Base Bid and shall **not** be included in the Base Bid.

Description of Alternate Proposed (state any change in time required):

Add / Deduct (circle one) the cost of \$ _____ for _____

Add / Deduct (circle one) the cost of \$ _____ for _____

Accompanying this is a _____
(Bid Bond, Certified Check, Bank Draft)

In the amount of _____
(Dollars)

(\$ _____) being five percent (5%) of the Base Contract Bid, the same being subject to forfeiture in the event of default by the undersigned.


In submitting this bid, it is understood that the right is reserved by the Owner to reject any and all bids and it is agreed that this bid may not be withdrawn during the period of days in the Contract Documents.


The Bidder hereby certifies:

- A. That this bid is genuine and is not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation.

- B. That he has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid.
- C. That he has not solicited or induced any person, firm, or corporation to refrain from bidding.
- D. That he has not sought by collusion or otherwise to obtain for himself any advantage over any other bidder or over the "Owner."
- E. That he will comply with all provisions of the Prevailing Wage Ordinance #O-14-03 adopted by the Hoffman Estates Park District.
- F. That he is in compliance with the Criminal Code Act of 1961, Article 33E-11, Public Contracts, and Public Act 85-1295.
- G. That all materials, methods and workmanship shall conform to the drawings, specifications, manufacturer's standards and specifications, and all applicable Codes and Standards.

HOFFMAN ESTATES PARK DISTRICT

BY: 
 (Sign and Date)

BY: 
 (Sign and Date)

FIRM NAME Allstar Asphalt, Inc


ADDRESS 165 W Hintz Rd
Wheeling IL 60090

PHONE 847-419-1200

EMAIL: allstarasphalt@comcast.net

CERTIFICATION


I, Steve Gagnon (Officer), having been first duly sworn on Oath, do
depose and state that I presently reside at 1316 Georgetown Way
Vernon Hills (Address), and
that I am the duly authorized principal, officer or agent of Allstar Asphalt, Inc
(Name of Contractor) and do hereby certify to Hoffman Estates Park District, its
Commissioners, Officers and Employees that neither I nor Allstar Asphalt, Inc
(Name of Contractor) are barred from bidding on the Contract for which this bid is
submitted, and as a result of violation of either Section 33E-3 (Bid-rigging") or
Section 33E-4 ("Bid-rotating") of Article 33E of the Criminal Code of 1961 of the
State of Illinois approved July 28, 1961, as amended.



On behalf of Contractor

Subscribed and sworn to before me


this 24 day of February, 2015



- Notary Public -

My Commission Expires:

04/08/2017



SUBCONTRACTORS

The following list includes all Subcontractors who will perform work representing five percent (5%) or more of the total base bid. The Bidder represents that the Subcontractors are qualified to perform the work required.

Category	Subcontractor Name	Address
1.	_____	_____
2.	_____	_____
3.	_____	_____
4.	_____	_____
5.	_____	_____
6.	_____	_____
7.	_____	_____
8.	_____	_____
9.	_____	_____
10.	_____	_____
11.	_____	_____
12.	_____	_____
13.	_____	_____
14.	_____	_____
15.	_____	_____

REFERENCES

Allstar Asphalt, Inc

Hoffman Estates IL 60169

next (2) pages

References for:

1. Company Name: _____

Address: _____

City-state: _____

Phone Number: _____

Contact Person: _____

2. Company Name: _____

Address: _____

City/State: _____

Phone Number: _____

Contact Person: _____

3. Company Name: _____

Address: _____

City/State: _____

Phone Number: _____

Contact Person: _____

4. Company Name: _____

Address: _____

City/State: _____

Phone Number: _____

Contact Person: _____