

HOFFMAN ESTATES PARK DISTRICT
Hoffman Estates, Illinois

FORM OF PROPOSAL

Proposal of Ewert Systems Landscaping INC, hereinafter called the
"BIDDER", (a) / (an) Corporation,
(Corporation, Partnership,
individual) doing business as general contractor, to Hoffman Estates
Park District, hereinafter called the "OWNER."

* * *

The Bidder, in response to your advertisement for bids for **Demolition / Removal of concrete, concrete work, drainage work and wall installation work at Triphahn and Willow Recreation Centers and High Point Park** having examined the Specifications and other Documents and being familiar with all of the conditions surrounding the proposed work (purchase/sale) including availability of materials and labor, hereby proposes to furnish all labor, materials and supplies and to construct the project in accordance with the Contract Documents, within the time set forth therein and at the prices stated below. These prices are to cover all expenses incurred in performing the work required under the Contract Documents of which this proposal is a part.

Bidder acknowledges receipt of the following Addenda, which are a part of the Contract

Document: Numbers: 1, _____, _____, _____.

SCOPE OF WORK & BIDDERS PROPOSAL

Installation of Concrete work Wall installation & drainage

The specifications and drawings are to govern the extent of the Work required or reasonably incidental to this Bid package. The following list of Work items is to be included and considered complementary to the drawings and specifications:

Bid Price shall be based on the following item pricing: final contract amount shall be determined based upon unit quantities approved and installed. Unit pricing provided below shall prevail for all ads and deducts unless otherwise noted on this bid form.

Item #1 Triphahn Center Demolition

1A: Contractor to saw cut and remove existing B-6-12 concrete curb identified to be removed D-113 on sheet 2of 8 and dispose of properly.

Cost per lin. foot \$ 6 X 650 lin. Feet = 1A \$ 3,900⁰⁰

1B: Contractor to saw cut and remove existing 6" X 12" Concrete barrier curb identified to be removed D-113 on sheet 2of 8 and dispose of properly.

Cost per lin. foot \$ 6 X 401 lin. Feet = 1B \$ 2,406⁰⁰

1C: Contractor to saw cut and remove existing concrete flat work identified to be removed on D-112 sheet 2of 8 and dispose of properly.

Cost per Sq. foot \$ 2.40 X 5192 Sq. Feet = 1C \$ 12,460⁸⁰

1D: Contractor to supply and maintain during construction a 4ft high X 64ft long ½" thick plywood barrier wall to protect patrons during re- construction of the south entrance at the Triphahn Center.

Cost to construct and maintain wall =1D \$ 1,560⁰⁰

TOTAL Triphahn Center Demolition Item 1A,1B,1C,&1D \$ 20,326⁸⁰

Item #2 Triphahn storm inlet repair

Contractor to saw cut and remove existing asphalt around inlets at Triphahn Center. Adjust inlet structures as necessary to reduce drop but still maintain positive drainage. Remove stone base to allow for 8" minimum of concrete replacement. Supply and install six (6) # 5 rebars each way (total 12 each location). Place 3000psi concrete against remaining asphalt and stone base and finish to provide positive drainage. All in accordance with plans and specification Triphahn Center Paving 2015. (Owner to supply frame adjusting rings if necessary.)

TOTAL #2 three locations 260 sq ft. X \$ 26 per sq. ft. = \$ 6,760⁰⁰

Item #3 Triphahn North Concrete Apron

Item 3A: Contractor to form and set #5 rebar including drilled doles, supply and place 3000psi concrete to form B-6-12 concrete curb along sides of existing apron and drive as per plans (03-08) sheet 2 of 8 and details and specifications concrete work 2015.

Cost per lin. foot \$ 25^{ea} X 76 lin. Feet = 3A \$ 1,900^{ea}

Item 3B: Contractor to provide and set 6x6 #10 reinforcement wire, supply and place 6" minimum 3000psi concrete within apron area to be replaced (03-09) in according per plans and specifications concrete work 2015.

Cost per sq. foot \$ 8 X 770 sq. Feet = 3B \$ 6,160

Item 3C: Contractor to provide and set 6x6 #10 reinforcement wire, supply and place 5" minimum 3000psi concrete as (03-03) per plans sheet 2of 8 per plans and specifications concrete work 2015. (Owner will supply two tactile insert plats to be set by contractor)

Cost per sq. foot \$ 6 X 107 sq. Feet = 4C \$ 642

TOTAL Triphahn North Concrete Apron Item 3A, 3B & 3C = \$ 8,702^{ea} *W*

Item #4 Triphahn North Entrance and Handi-cap Parking Concrete

Item 4A: Contractor to form and set #5 rebar including drilled doles, supply and place 3000psi concrete to form B-6-12 concrete curb (03-08) along proposed Handi-cap parking stall. Adjust storm inlet elevation if necessary as per plans sheet 2 Of 8 & 3 of 8 and details and specifications concrete work 2015.

Cost per lin. foot \$ 25 X 110 lin. Feet = 4A \$ 2,750^{ea}

Item 4B: Contractor to form and set #4 rebar including drilled doles, supply and place 3000psi concrete to form 6" wide X 12" deep concrete curb (03-04) along proposed Handi-cap parking stall planters and walk edge as per plans sheet 2 of 8 & 3 of 8 and details and specifications concrete work 2015.

Cost per lin. foot \$ 23 X 170 lin. Feet = 4B \$ 3910^{ea}

Item 4C: Contractor to provide and set 6x6 #10 reinforcement wire, supply and place 5" thick 3000psi concrete as (03-03) per plans sheet 2of 8 & 3 of 8 per plans and specifications concrete work 2015. (Owner will supply six tactile insert plats to be set by contractor)

Cost per sq. foot \$ 6 X 1,350 sq. Feet = 4C \$ 8100^{ea}

TOTAL Triphahn North Concrete H.C. Area Item 4A, 4B & 4C = \$ 14,760^{ea} *W*

Item #5 Triphahn South Entrance

Item 5A: Contractor to saw cut and remove existing asphalt around inlets in south Triphahn Center. Adjust inlet structures as necessary to reduce drop but still maintain positive drainage. Remove stone base to allow for 8" minimum of concrete replacement. Supply and install six (6) # 5 rebars each way (total 12 each location). Place concrete against remaining asphalt and stone base and finish to provide positive drainage. All in accordance with plans and specification Triphahn Center Paving 2014. Tag 03-05

Cost four locations 256 sq ft. X \$ 25 per sq. ft. = \$ 6,400

Item 5B: Contractor to form and set #5 rebar including drilled doles, supply and place 3000 psi concrete to form B-6-12 concrete curb (03-08) along proposed drop off area as per plans sheet 2 of 8 & 4 of 8 and details and specifications concrete work 2015.

Cost per lin. foot \$ 25 X 300 lin. Feet = 5A \$ 7,500

Item 5C: Contractor to form and set #4 rebar including drilled doles, supply and place 3000psi concrete to form 6" wide X 12" deep concrete curb (03-04) along proposed Handi-cap parking stall planters and walk edge as per plans sheet 2 of 8 & 4 of 8 and details and specifications concrete work 2015.

Cost per lin. foot \$ 25 X 40 lin. Feet = 5B \$ 1,000

Item 5D: Contractor to provide and set 6x6 #10 reinforcement wire, supply and place 5" thick 3000psi concrete as (03-03) per plans sheet 2 of 8 & 4 of 8 per plans and specifications concrete work 2015. (Owner will supply 15 tactile insert plates to be set by contractor)

Cost per sq. foot \$ 6 X 3,055 sq. Feet = 5C \$ 18,330

Item 5E: Contractor to remove existing Versa lok dry block wall identified on removal plan sheet 2 of 5 discard un-usable damaged block. Excavate for new block walls as per drawing sheet 2 of 8 & 4 of 8. Supply and install new Versa Lok dry block walls as per drawing sheet 2 of 8 & 4 of 8 per plans and specifications concrete work 2015.

Cost per Face/ foot. \$ 45 X 95 Face Feet = 5D \$ 4,275

Item 5F & 5G: Contractor to excavate proposed stone cobble surface to a depth of minus 6". Supply and set 1/4" X 4" steel edging. Supply and set 5" - 6" granite cobbles. Backfill cobbles to an elevation 2" below finish grade as per drawing on sheet 2 of 8 & 4 of 8 and specifications concrete work 2015.

Cost per lin foot. Steel edge \$ 5 X 60 lin. Feet = 5E 300

Cost per sq. foot. Cobble \$ 9 X 225 square feet = 5F 2,025

TOTAL Triphahn South Drop Off Area Item 5A, 5B, 5C, 5D, 5E, 5F & G \$ 39,830

TOTAL BID PRICE FOR TRIPHAHN CENTER PARKING: DEMOLITION, WALL INSTALLATION, COBBLE STONE INSTALLATION AND CONCRETE WORK \$ 90,378.80 W

Item #6 Willow Recreation Center Demolition Removal

6A: Contractor to saw cut and remove existing B-6-12 concrete curb identified to be removed on sheet 1 of 8 and dispose of properly.

Cost per lin. foot \$ 8 X 193 lin. Feet = 6A \$ 1,544⁰⁰

6B: Contractor to saw cut and remove existing concrete flat work identified to be removed on sheet 1 of 8 and dispose of properly.

Cost per sq. foot \$ 2.5 X 1,568 sq. Feet = 6B \$ 3,920⁰⁰

TOTAL Willow Recreation Center Demolition Items 6A&6B = \$ 5,464⁰⁰

Item #7 Willow Recreation Center Concrete Work

Item 7A: Contractor to form and set #5 rebar including drilled doles, supply and place 3000psi concrete to form B-6-12 concrete curb along sides of existing apron and drive as per plans sheet 1 of 8 and details and specifications concrete work 2015.

Cost per lin. foot \$ 25 X 134 lin. Feet = 7A \$ 3,350⁰⁰

Item 7B: Contractor to provide and set 6x6 #10 reinforcement wire, supply and place 6" thick 3000 psi concrete within apron area to be replaced in according per plans and specifications concrete work 2015.

Cost per sq. foot \$ 8 X 1,443 sq. Feet = 7B \$ 11,544

Item 7C: Contractor to provide and set 6x6 #10 reinforcement wire, supply and place 5" thick 3000psi concrete as (03-03) per plans sheet 1 of 8 per plans and specifications concrete work 2015. (Owner will supply four tactile insert plats to be set by contractor)

Cost per sq. foot \$ 6 X 200 sq. Feet = 7C \$ 1,200⁰⁰

TOTAL Willow Rec. Center Concrete 7A, 7B & 7C = \$ 16,694

TOTAL BID PRICE WILLOW RECREATION CENTER PARKING LOT FOR DEMOLITION, CONCRETE WORK \$ 21,558⁰⁰

Item #8 High Point Park Demolition / Removal

8A: Contractor to saw cut and remove existing B-6-12 concrete curb identified to be removed on sheet 6 of 8 and dispose of properly.

Cost per lin. foot \$ 8 X 30 lin. Feet = 8A \$ 240^e

8B: Contractor to saw cut and remove existing 6" X 12" Concrete barrier curb identified to be removed on sheet 6 of 8 and dispose of properly.

Cost per lin. foot \$ 8 X 28 lin. Feet = 8B \$ 224^e

8C: Contractor to saw cut and remove existing concrete flat work identified to be removed on sheet of 6 of 8 and dispose of properly.

Cost per Sq. foot \$ 2.40 X 585 sq. Feet = 8C \$ 1,404

8D: Contractor to remove existing wooden screen wall on the northside of the restroom building including concrete footings. Also the east wall section the encloses the sewage pump (This wall is surface mounted to concrete slab that will be removed).

Cost to remove wooden walls 8D \$ 1200^e

8E: Contractor to remove existing Versa Lok Wall to be replaced. Discard any unusable block from the site.

Cost per Face/Foot \$ 12 X 200 Face/ Feet = 8E \$ 2,400^e

8F: Contractor to remove and discard 20" steel culvert located on path N. Remove and discard all exiting split rail fence on paths B and N

Cost to remove culvert and fence 8F \$ 1,200

TOTAL High Point Demolition Items 8A,8B,8C,8D, 8E, 8F= \$ 6,668^e

Item #9 High Point Park Drainage Installation

9A: Contractor to excavate, Supply inlet structures, frames, open lids and double wall plastic drainage pipe. Install all drainage structures, pipe and backfill according to the drawings sheet 6 of 8 and according to the plans and specification concrete work 2015. All excess cut materials not needed as backfill shall be removed from site by contractor

Cost per inlet structure (32-12) complete \$ 1250 X 5 Inlet structures = 9A \$ 6,250^e

Cost per lin. Ft. double wall pipe(32-11)\$ 25 X 805 lin. Ft = 9B \$ 20,125^e

Cost to install 2 -24"dia. X 15 ft long double wall culvert pipes (Pipe to be supplied by owner) including all stone base and stone backfill materials. Finish pipe ends to be grouted into proposed new versa lok wall which will be installed as part of this project #11.

=9C \$ 1350

TOTAL High Point Drainage Items 9A, 9B, 9C = \$ 27,725

Item #10 High Point Park Basketball Goal Adjustment

Contractor to remove existing south basketball goal and backboard and reset it approximately 5 inches higher to meet 10 foot height standard above playing surface.

Cost to remove and reset basketball goal and backboard. = \$ 1,400

Item #11 High Point Park Dry Block Wall Installation

Item 11: Contractor to excavate for new block walls as per drawing sheet 6 of 8. Supply and stone base, install new Versa Lok dry block (wall 1,2&3) and Keystone dry block (Wall 4) walls geo-grid tie backs and backfill using spoils from wall, drainage pipe installation and concrete flat work excavation as per drawing sheet 7 of 8 and or per plans and specifications concrete work 2015. All excess cut materials not needed as backfill shall be removed from site by contractor.

Versa Lok Wall 1, 2 & 3 per Face/ foot. \$ 38 X 638 Face / Feet
= #11A \$ 24,244

Key Stone Wall 4 per Face/ foot. \$ 38 X 662 Face / Feet
= #11B \$ 25,156

Total 11 A + 11B = \$ 49,400

Item #12 High Point Park Concrete

12A: Contractor to install Ten (10) 2-1/2" X 10 foot galvanized fence post in 42" min deep footing holes on the north side of the restroom facility. These posts will be utilized by the fence contractor to replace the screen wall removed in item 8D. Galvanized posts will be provided by the owner to the concrete contractor.

Cost to install Ten (10) posts 12A \$ 1,100

12B: Contractor to form and set #5 rebar including drilled doles, supply and place 3000psi concrete to form B-6-12 concrete curb (3-13) as per plans sheet 6 of 8 & 8 of 8 and details and specifications concrete work 2015.

Cost per lin. foot \$ 25 X 300 lin. Feet = 12B \$ 7,500

12C: Contractor to saw cut and remove existing damaged B-6-12 concrete curb in three locations. Form and set #5 rebar including drilled doles, supply and place 3000 psi concrete to form new B-6-12 concrete curb.

Cost per lin. foot \$ 45 X 20 lin. Feet / 3 locations =12C \$ 900

12D: Contractor to provide and set 6x6 #10 reinforcement wire, supply and place 5" thick 3000 psi concrete as (03-03) per plans sheet 6of 8 per plans and specifications concrete work 2015. (Owner will supply six tactile insert plats to be set by contractor) Contractor to backfill all concrete and remove any excess cut from the site if unused elsewhere.

Cost per sq. foot \$ 5.90 X 8,989 sq. Feet = 12D \$ 52,136.20

TOTAL High Point Concrete Items 12A,12B,12C & 12D = \$ 61,636.20

TOTAL BID PRICE HIGH POINT PARK DEMOLITION, WALL INSTALL, DRAINAGE & CONCRETE TOTALS #8A-F, #9A-B, #10, #11, #12 A-C

\$ 146,829.20

GRAND TOTAL BID PRICE FOR TRIPHAHN, WILLOW AND HIGH POINT PARK PROJECTS. (Yellow highlighted numbers)

\$ 258,766

VOLUNTARY ALTERNATES

The contractor is encouraged to provide Voluntary Alternates. All Voluntary Alternates **must** be a modification to the Base Bid and shall **not** be included in the Base Bid.

Description of Alternate Proposed (state any change in time required):

Add/Deduct

\$ 25%
if we get
Playground Bid

UNIT PRICES

The following unit prices include overhead and profit, all labor, materials, necessary tools, expendable equipment, all applicable taxes and fees, and utility and transportation services necessary to complete the unit of work and remain valid for the duration of the Contract.

Hourly wage for laborer

\$ 90

Hourly wage for Supervisor \$ 110
Price per ton for additional R-Bar Steel required \$ 1,800 per set ton
Hourly rate 6-wheeler with driver \$ 90
Hourly rate skid steel loader with operator \$ 145

Accompanying this proposal is a Bid Bond
(Bid Bond, Certified Check, Bank Draft)

In the amount of 5 of base Bid
(Dollars)

(\$ 258,766) being five percent (5%) of the Base Contract Bid, the same being subject to forfeiture in the event of default by the undersigned.

In submitting this bid, it is understood that the right is reserved by the Owner to reject any and all bids and it is agreed that this bid may not be withdrawn during the period of days in the Contract Documents.

The Bidder hereby certifies:

- A. That this bid is genuine and is not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation.
- B. That he has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid.
- C. That he has not solicited or induced any person, firm, or corporation to refrain from bidding.
- D. That he has not sought by collusion or otherwise to obtain for himself any advantage over any other bidder or over the "Owner."
- E. That he will comply with all provisions of the Prevailing Wage Ordinance #O-14-03 adopted by the Hoffman Estates Park District.
- F. That he is in compliance with the Criminal Code Act of 1961, Article 33E-11, Public Contracts, and Public Act 85-1295.
- G. That all materials, methods and workmanship shall conform to the drawings, specifications, manufacturer's standards and specifications, and all applicable Codes and Standards.
- H. The bidder understands that the Hoffman Estates Park District looks favorably on minority businesses as sub-contractors for supplies, equipment, labor services and construction.


HOFFMAN ESTATES PARK DISTRICT

FIRM NAME Fuertes Systems Landscaping INC

BY: [Signature]
(Sign and Date)

ADDRESS P.O. Box 328
Plainfield, IL 60544

BY:



(Sign and Date)

PHONE

815-725-2959

EMAIL:

fvrtel@sbcglobal.net

BY:

Fuertes Systems Landscaping
INC


CERTIFICATION

I, Rafael Hurtado (Officer), having been first duly sworn on Oath, do
depose and state that I presently reside at 21157 S. Meadowsview Lane
Shorewood, FL 32904 (Address), and

that I am the duly authorized principal, officer or agent of Fuertes Systems Landscaping
INC
(Name of Contractor) and do hereby certify to Hoffman Estates Park District, its

Commissioners, Officers and Employees that neither I nor Fuertes Systems Landscaping
INC
(Name of Contractor) are barred from bidding on the Contract for which this bid is


submitted, and as a result of violation of either Section 33E-3 (Bid-rigging") or
Section 33E-4 ("Bid-rotating") of Article 33E of the Criminal Code of 1961 of the
State of Illinois approved July 28, 1961, as amended.



On behalf of Contractor

Subscribed and sworn to before me
this 21 day of February 2015
Nataly Perez

- Notary Public -

My Commission Expires 

SUBCONTRACTORS

The following list includes all Subcontractors who will perform work representing five percent (5%) or more of the total base bid. The Bidder represents that the Subcontractors are qualified to perform the work required.

Category	Subcontractor Name	Address
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		

REFERENCES

Hoffman Estates IL 60169

References for:

1. Company Name: _____
Address: _____
City-state: _____
Phone Number: _____
Contact Person: _____
2. Company Name: _____
Address: _____
City/State: _____
Phone Number: _____
Contact Person: _____
3. Company Name: _____
Address: _____
City/State: _____
Phone Number: _____
Contact Person: _____
4. Company Name: _____
Address: _____
City/State: _____
Phone Number: _____
Contact Person: _____

See Attachments

STATEMENT OF EXPERIENCE

The Bidder shall list all recent projects for which he provided services of a similar nature to the subject project.

Project/Location	Contract Amount	Reference/Phone #
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		

See Attachments

HOFFMAN ESTATES PARK DISTRICT
Hoffman Estates, Illinois

Please list all of the equipment you will be using on this specific job.

1. (2) 6 wheelers
2. (2) bobcats
3. (1) mini excavator
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____

SUSTAINABILITY STATEMENT

Introduction

The Hoffman Estates Park District is committed to green and sustainable practices and good environmental stewardship. Consequently, we are asking bidders to provide a Statement of Sustainability to ensure our bidders are also incorporating sustainability into their firm's practices.

Instructions

Provide a clear description of your firm's sustainable practices, policies or procedures to the below sections or attach a copy of your practice. These practices may include but are not limited to:

Waste Minimization within the office or facilities through recycling programs, double-sided copying, electronic internal communications, recycled content in materials, reusable cups, limited printing, electronic document management, green purchasing policies, green cleaning supplies or reduced packaging in materials procured or supplied.

double-sided copying,
electronic internal communications,
and recycled Content in Materials

Energy Efficiency within office, facilities or firm through lighting retrofits, photo sensor switches for lighting, use of day lighting, Energy Star rated appliance or equipment, alternative fuel or efficient fleet, anti-idling policy, or indoor temperature management.

Use of lighting, indoor
temperature Management

Water Efficiency in office, facilities or firm through faucet or fixture retrofits, switch individual bottled water to office water coolers or drinking fountains, drought tolerant landscaping.

drinking fountain,

Staff are encouraged to be sustainable and supported by your firm through public transit benefits, bicycle accommodations, telecommuting options, support to attend green seminars, US Green Building Council LEED accredited or the creation of an internal green team. we encouraged public transit benefits

Education of your staff about green practices, your business peers of your green accomplishments, your community of your sustainability, or any environmental awards your firm has achieved. we attend green classes.

FAIR EMPLOYMENT PRACTICES AFFIDAVIT OF COMPLIANCE

I, Rafael Hurtado (name of person making the affidavit), being duly sworn, deposes and says that he is the President (title) of Fuertes Systems Landscaping INC and that he has authority to make the following affidavit; that he has knowledge of the Hoffman Estates Park District ordinance relating to Fair Employment Practices, Equal Employment Opportunity, Prevailing Wages, Sexual Harassment Requirements, and knows and understands the contents thereof; that he certifies that Fuertes Systems Landscaping INC (name of company) is an equal opportunity employer as defined by the Federal, State and Local regulations.

HOLD HARMLESS AGREEMENT

Fuertes Systems Landscaping INC (company name) agrees to indemnify, hold harmless and defend the Hoffman Estates Park District, its consultants for this Project, agents, servants and employees, _____ (Construction Company), and its sub consultants, and each of them against and hold them harmless from any and all liability, loss, cost, damages and claims, cause of action, demands, rights, costs of loss of service expenses, compensation, and expense (including reasonable attorneys' fees and court costs) which the undersigned now has or which may hereafter accrue, directly or indirectly, for or on account of any and all known and unknown, foreseen and unforeseen, resulting from, arising out of, or incurred by reason of claims, actions, or suits based upon or alleging bodily injury, including death, or property damages arising out of, or resulting from the Contractor's operations under this Contract, whether such operations be by himself or by any subcontractor or by anyone directly or indirectly employed by either of them.

Signed this: 21 day of February, 2015.

By: [Signature]
Title: President

Address: 21157 S Meadowview Lane
City Shorewood State IL Zip 60404

Subscribed and sworn before me
this 21 day of February
Nataly Perez
Notary Public

