### HOFFMAN ESTATES PARK DISTRICT Hoffman Estates, Illinois

### **FORM OF PROPOSAL**

Proposal of	hereinafter called the
"BIDDER", (a) / (an)	
(Corporation, Partnership,	
individual) doing business as	, to Hoffman Estates
Park District, hereinafter called the "OWNER."	
* * *	
The Bidder, in response to your advertisement for bids for <b>installat equipment at Armstrong School &amp; MacArthur School</b> ; <b>concret Dog Park &amp; Armstrong School Park</b> having examined the Specific Documents and being familiar with all of the conditions surrounding (purchase/sale) including availability of materials and labor, hereby materials and supplies and to construct the project in accordance within the time set forth therein and at the prices stated below. The	te work at Freedom Run ications and other the proposed work proposes to furnish all laborath the Contract Documents
expenses incurred in performing the work required under the Contr proposal is a part.	•
Bidder acknowledges receipt of the following Addenda, which are a	a part of the Contract
Document: Numbers:	

#### SCOPE OF WORK & BIDDERS PROPOSAL

### General

The Contractor shall provide:

- 1. Equipment and manpower shall be provided in suitable size and number to satisfy and complete the work according to site material conditions, schedule and weather.
- 2. Provide adequate staff to review the Contract Documents and request, in writing, any additional information required well in advance of the actual fabrication or installation. Coordinate and communicate installation information with all other trades where there is interface, connection or contact with a product or work being installed and/or supplied by others.
- 3. If this Contractor is determined to impede the progress of the project schedule, the work delaying such progress will be passed over in a normal course of business and this Contractor shall be responsible for installing the work under other means and paying for additional costs, remedial work or damages resulting from such action.
- 4. Provide markers indicating limits of work and clear identification of items and areas requiring protection. Provide barricades, warning signs, and warning lights at conditions where there is a danger of injury to persons, or materials falling into excavations, pits, or depressions in the surrounding grade. This contractor is solely responsible for determining the potential for injury to persons and damage to property. Where such potential is present, take appropriate protective measures. Protect persons from injury and protect existing and new improvements from damage caused directly or indirectly by construction operations.
- 5. The Trade Contractor shall be liable and responsible for payment of all OSHA fines and/or other penalties against their work for failure to comply with all such requirements. Trade Contractor shall also reimburse the Owner for all OSHA and other fines and/or penalties charged to the Owner due to Trade Contractor's negligence.
- 6. Clean up shall be on a daily basis. This shall include sweeping and other housekeeping methods necessary to maintain the building, and removal of debris from streets, roads, and landscaped areas. All unused materials, packaging, debris, food-related items shall be placed in rubbish containers and daily removed from the site.
- 7. Submit the following information within five (5) days after bidding, when requested: a) average size crew anticipated; b) approximate number of man-days anticipated for each major function of work; c) delivery dates of major equipment or fixtures; and, e) references and financial qualifications. All shop drawings shall be submitted within twenty-one (21) days of the Contract date.
- 8. No extras shall be accepted on this project unless initiated by the Owner. Discrepancies, exclusions, clarifications regarding each contractor's scope of work shall be addressed by contractor, in writing, and to the architect during the bidding process.

# Installation of Playground

The specifications and drawings are to govern the extent of the Work required or reasonably incidental to this Bid package. The following list of Work items is to be included and considered complementary to the drawings and specifications:

Furnish all labor, tools, materials, and equipment required and necessary to complete the following:

Inventory Pre-engineered playground structure provided by the owner at the job site including parts
inventory and condition. Any irregularities shall be immediately communicated to the owner upon
acceptance of the material by the contractor prior to commencement of work. Should deficiencies be
identified after acceptance of material by the contractor the owner will make assist in trying to resolve

- the issue, however should the issue not be resolved by owner's effort the contractor will be held responsible for resolving the issue at his own cost.
- 2. The playground area shall be graded to a depth minus one foot below finish grade. Any deviation from the manufactures design shall be communicated in writing to the owner.
- 3. The Contractor shall install the playground in accordance with the manufactures directions and or installation procedures.
- 4. The Contractor shall take all means to protect the playground against damage during construction from either his own crews or third parties.
- 5. The Contractor is responsible for any and all incidental material (i.e. nails, rivets, caulk, etc.) necessary to complete the project. The Contractor is encouraged to contact the manufacture to determine what items are and are not included as part of the pre-engineered Shelter package being provided. The Contractors bid price shall take into account all items necessary but not included.
- 6. Prior to final acceptance the contractor shall clean the structure and repair any blemishes caused by his work or damage caused by a third party.
- 7. The contractor is responsible for the protection of all park amenities (not limited to and including all concrete, site furnishings, vegetation other than turf, parking lot and drive asphalt, signage etc.) and shall be responsible for the repair should damage occur. Contractor will make every attempt to minimize damage to turf areas and provide grading to correct such damage caused by his work.
- 8. The contractor is responsible for the removal and proper disposal for all debris associated with the shipment and installation of playground equipment and fall surface.
- 9. Prior to final acceptance the owner shall schedule an inspection by the manufactures representative to identify any and all installation deficiencies. Such deficiencies shall be corrected by the contractor in timely manner. Should a deficiency be identified by the manufacture which is not the fault of the contractor, the contractor shall be reimbursed for correction of said deficiency as an extra to the contract.

### Installation of Concrete

- 1. The contractor is responsible for the setting of grades and stakes necessary to complete the installation of concrete work.
- 2. The contractor is responsible for excavation, removal and proper disposal of all existing concrete, asphalt, pavers, stone and earth within areas designated for new concrete.
- 3. The contractor is responsible for compaction of all subgrades, supply and installation and compaction of all stone base materials.
- 4. The Contractor is responsible for supply and setting of all staking materials necessary to pour concrete. All final grades must conform to The Americans with Disabilities (ADA) maximum slope requirements for walkways.
- 5. The Contractor is responsible for the supply placement and finishing of all concrete according to specifications.
- 6. The Contractor is responsible for the removal and proper disposal of all staking material.
- 7. The Contractor is responsible for the removal and proper disposal of all excess stone and concrete over pour. Contractor is responsible for the rough backfill with clean fill of all areas adjacent to the concrete pour.

# Installation of Synthetic Turf Fall Surface

- 1. The contractor shall supply and install Forever Lawn Synthetic Fall Surface (Or approved Equal) capable of meeting a fall height of eight foot zero inches (8'-0") with a test rating that does not exceed 750 HIC and 175 G's. tested upon completion of the installation.
- 2. The contactor, at no cost to the owner shall have the final fall surface tested by an independent certified testing agency.

### **Allowance**

 Provide a \$7,500 allowance in the Base Bid price for labor and material to perform on a T&M basis for modifications as directed by Owner. Unused portions shall be credited back to the Owner

Bid Price shall be based on the following item pricing: final contract amount shall be determined based upon unit quantities approved and installed. Unit pricing provided below shall prevail for all ads and deducts unless otherwise noted on this bid form.

# ARMSTRONG SCHOOL PLAYGROUND

#### **Site Security**

A SS -1

Contractor to supply, maintain and remove security fencing consisting of 5ft x 6ft temporary chain link panels bolted together or 5ft High continuous chain link fencing pounded steel posts with lockable access gate to provide a continuous barrier around the entire work area. *Include sand bags to keep panels* upright an *in place*. And removal once work is completed

426total lin.ft. 361 lin. of continuous pounded post chain link fence and 65 lin. ft. of panels with legs and sand bag weights for areas along paved surfaces.

and sand bag weights for areas along pave	d surfaces.	
	TOTAL Cost of A SS-1	<b>\$</b>
Demolition AD-1		
Contractor to remove all existing playgroun and dispose of properly from the site.	nd equipment, footings identi	fied as to be removed on plans
	Cost of AD-1	<b>\$</b>
AD-2		
Contractor to saw cut existing concrete and or asphalt identified as to be removed on place (370 square feet of concrete / 1,3)	ans and dispose of properly f	from the site.
	Cost of AD-2	\$
AD-3 Contractor to remove all existing loose fill existing concrete curb elevation and transp. Hoffman Estates Park District according to	ort and stockpile same at vari	-
(392 cu yds.) Note any contaminated loose by the contractor and transported to the Po		
AD-4	Cost of AD-3	\$
Contractor to remove all existing under dra specifications.	in piping and dispose of prop	perly from the site according to
· · ·	Cost of A D-4	\$

Concrete Work			
AC-1 Contractor to supply, place and compact reinforcement rods, supply and place and specifications.		0	
Cost of AC-1- 12 lin. ft	e. x \$per ft =	\$	
AC-2 Contractor to supply, place/compact stored set 6x6 #10 reinforcement wire. Supply expansion and control joints according	y and place 5" thick minir	num concrete to walks	
Cost of AC-2- 1,740 sq	ft. x \$per sq. ft	= \$	
<b>Total Cost of Concrete</b>	work AC-1 & AC-2	\$	
Installation contractor will be responsifrom the owner's maintenance yard locabout the playground equipment being 847-548-1143 Spring riders (Burke) caplayground equipment to the park distr	cated at 2352 Hassel Road installed (Playcraft) as p all Illinois Play 630-514-5	d in Hoffman Estates. For Part of this item call Zei 540 The material cost o	For information nnon Company
Total Cost to install A	Armstrong Playground e	equipment \$	
Installation of Drainage Pipe Contractor to located existing undergromaterials to provide drainage to propose		extend this conduit using	ng the following
705 lin. Ft. 6" flat drainage pipe with fa Note: A source for 6"flat pipe is Erotex I	abric sock Cost per lin. ft nc. 866-437-6839	.\$ Total cost	:\$
95 lin. Ft. 4" round drainage pipe with	fabric sock Cost per lin.	ft.\$Total cost\$	<u> </u>
12 T connectors	13 total X \$	per connector = Total cos	st \$
13 Round to flat connectors.	13 total X \$	per connector = Total co	ost \$
1- 4" Round cap	1 total X \$p	per cap = Total co	st \$
<b>Total Cost of Arms</b>	strong Installation of Dr	ainage Pipe \$	

Total Cost of Demolition AD-1, AD-2, AD-3 & AD-4

# **Wood Fiber Loose Fill Fall Surface and Filter Fabric AFS** Contractor to supply and place non-woven 32oz filter fabric on sub-grade area of playground. Supply place and compact no less than 12" of wood fiber fall surface to playground area. Contractor will have to provide fall surface testing documentation from an independent agency prior to placement of material. \$ Cost of AFS -1 1,175 sq yds. of fabric (cover area) at \$\_\_\_\_\_ per sq yard Cost of AFS -2 587 cu yds. at \$ per cu yard total price Total Cost of Armstrong Wood Fiber Loose Fill AFS-1 & AFS -2 TOTAL BID PRICE ARMSTRONG SCHOOL PARK PLAYGROUND SITE SECURITY, DEMOLITION, CONCRETE, PLAYGROUND INSTALLATION, DRAINAGE & WOOD FALL SURFACE. (ALL YELLOW ARMSTRONG) MacARTHUR SCHOOL PLAYGROUND **Site Security** Contractor to supply, maintain and remove security fencing consisting of 5ft x 6ft temporary chain link panels bolted together or 5ft high continuous chain link fencing pounded steel posts with lockable

**Demolition** 

TOTAL Cost of \$

MD-1

Contractor to remove all existing playground equipment, footings identified as to be removed on plans and dispose of properly from the site.

506 Total lin.ft (474 lin.ft. pounded posts and 32 lin.ft. fence panels with support legs and sand bags.)

access gate to provide a continuous barrier around the entire work area. *Include sand bags to keep* 

panels upright an in place. And removal once work is completed

Cost of MD-1

**MD-2** 

Contractor to remove existing poured in place rubber fall surface and base and properly dispose of materials. Approximately 55 sq ft.

Cost of MD-2

**MD-3** 

Contractor to remove all existing loose fill woodchip fall surface and fabric to a depth of 12" below existing concrete curb elevation and transport and stockpile same at various locations within the Hoffman Estates Park District according to specifications. (397 cu yds.) Note any contaminated Loose fill Materials (Soil or Stone contaminants) will be removed by the contractor and transported to the Park District dumpsite located west of Rohrssen Road.

Cost of MD-3

MD-4 Contractor to remove all existing under drain piping and dispose properly from the site according to specifications.  Cost of MD-4 \$			
<b>Total Cost of Demolition MD-</b>		\$	
Concrete Work			
Note: Concrete flat work is include	ed in synthetic turf fall surfa	ce price below	
Installation of Playground Equipment Contractor to install one playground for children 5-12 years old, one rock Climber, one two person stand-up spring rocker and two three bay swing sets Installation contractor will be responsible for the transport of all playground equipment to the job site from the owner's maintenance yard located at 2352 Hassel Road in Hoffman Estates. For information about the playground equipment being installed (Playcraft) as part of this item call Zennon Company 847-548-1143 Spring riders (Burke) call Illinois Play 630-514-540 The material cost of the delivered playground equipment to the park district was Playcraft \$49,550 & Burke \$1,725.			
Cost to install MacArthur P	layground equipment	\$	
<u>Installation of Drainage Pipe</u> Contractor to located existing underground outfall structure and extend this conduit using the following materials to provide drainage to proposed playground area			
631 lin. Ft. 6" flat drainage pipe with fabric so Note: A source for 6"flat pipe is Erotex Inc. 866-2			
323 lin. Ft. 4" round drainage pipe with fabric sock Cost per lin. ft.\$Total cost\$			
13 T connectors	13 total X \$ per connecte	or = Total cost \$	
13 Round to flat connectors.	13 total X \$per connected	or = Total cost \$	
1- 4" Round cap	1 total X \$per cap	= Total cost \$	
Total Cost of MacARTHUR Installation	of Drainage Pipe	\$	
Wood Fiber Loose Fill Fall Surface and File MWFS Contractor to supply and place non-woven 320 place and compact no less than 12" of wood fit to provide fall surface testing documentation for the surface and File MWFS	oz filter fabric on sub-grade a iber fall surface to playground	d area. Contractor will have	

Cost of MWFS -1 1,167sq yds. of fabric (cover area) at \$\_\_\_\_\_ per sq yard Cost of MWFS -2 585 cu yds. at \$\_\_\_\_\_ per cu yard total price

Total Cost of MacARTHUR Wood Fiber Loose Fill MFS-1 & MFS -2

#### Synthetic turf fall surface installation

Contractor to supply and place compact stone base, place and finish concrete pad, supply and install and install cushioning pads, furnish and install synthetic turf (Foreverlawn PG Ultra or approved equal). Contractor will have to provide fall surface testing documentation from an independent agency upon completion of the fall surface. Assume 8 ft fall with a maximum HIC Rating of 700 and a Maximum G Rating of 165.

150 sq. ft. x \$\_\_\_\_\_per ft =

Cost of FR3

FRC-4 Contractor to provide approved topsoil and place within curb planter.  Cost of FRC-4 = \$
Total cost of Concrete Work FRC-1,FRC-2,FRC-3 & FRC-4 \$
TOTAL BID PRICE FOR CONCRETE WORK FREEDOM RUN DOG PARK DEMOLITION and CONCRETE WORK  (ALL YELLOW Freedom Run )
GRAND TOTAL BID PRICE ARMSTRONG & MacARTHUR PLAYGROUNDS, CONCRETE WORK AT FREEDOM RUN DOG PARK & PROJECT OWNER ALLOWANCE \$7,500.
ALTERNATE ITEM #1 (Additional concrete work at Armstrong Park)
Contractor to excavate existing turf areas designated on plans to receive new concrete, place and compact stone base, place and finish 5" thick concrete with 6X6 #10 wire and backfill all new concrete according to the plans and specifications. (All final turf restoration by owner)
Cost of ALTERNATE #1 – 1774 sq ft. x \$per sq. ft = \$
ALTERNATE ADD UNIT PRICING  Trucking costs to truck and properly dispose woodchip fall surface materials per mile outside of Hoffman Estates Park District Boundary. Dump fees to be paid for by Hoffman Estates Park District  \$/cost per mile  ALTERNATE ADD UNIT PRICING  Hauling cost for a six wheel dump truck to haul and dispose of unsuitable soils and or debris outside of Hoffman Estates Park District boundary .
Cost per truck load \$
ALTERNATE ADD UNIT PRICING Cost to provide weather protection over and around proposed new rubber surface including cost to heat space.

Temp weather protection cost \$\_\_\_\_\_

### **VOLUNTARY ALTERNATES**

The contractor is encouraged to provide Voluntary Alternates. All Voluntary Alternates <u>must</u> be a modification to the Base Bid and shall <u>not</u> be included in the Base Bid.

Description of Alternate Proposed (state any change	in time required):	
	Add/Deduct	\$
UNIT PRICES		
The following unit prices include overhead and profequipment, all applicable taxes and fees, and utility a unit of work and remain valid for the duration of the	and transportation service	• •
Hourly wage for laborer	\$	
Hourly wage for Supervisor	\$	
Hourly rate 6-wheeler with driver	\$	
Hourly rate skid steel loader with operator	\$	
Company: Address:		
	Date	
Signature	Title	
Accompanying this is a(Bid Bond, Certified	Check Bank Draft)	
(Bla Boria, Certifica	Oncok, Bank Brait,	
In the amount of		
(Dollar		
(\$) being five percent (5% subject to forfeiture in the event of default by the	%) of the Base Contracte undersigned.	t Bid, the same being

In submitting this bid, it is understood that the right is reserved by the Owner to reject any and all bids and it is agreed that this bid may not be withdrawn during the period of days in the Contract Documents.

The Bidder hereby certifies:

- A. That this bid is genuine and is not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation.
- B. That he has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid.

- C. That he has not solicited or induced any person, firm, or corporation to refrain from bidding.
- D. That he has not sought by collusion or otherwise to obtain for him any advantage over any other bidder or over the "Owner."
- E. That he will comply with all provisions of the Prevailing Wage Ordinance #O-17-04 adopted by the Hoffman Estates Park District.
- F. That he is in compliance with the Criminal Code Act of 1961, Article 33E-11, Public Contracts, and Public Act 85-1295.
- G. That all materials, methods and workmanship shall conform to the drawings, specifications, manufacturer's standards and specifications, and all applicable Codes and Standards.
- H. The bidder understands that the Hoffman Estates Park District looks favorably on minority businesses as sub-contractors for supplies, equipment, labor services and construction.

HOFFMAN ESTATES PARK DISTRICT	FIRM NAME
BY:	ADDRESS
(Sign and Date)	
BY:	<del></del>
(Sign and Date)	PHONE
	EMAIL:
	BY:
	UI

# **CERTIFICATION**

I, (Officer), having been first duly sworn on Oath, state
that I am the duly authorized principal, officer or agent of
(Name of Contractor) and do hereby certify to Hoffman Estates Park District, its
Commissioners, Officers and Employees that neither I nor
(Name of Contractor) are barred from bidding on the Contract for which this bid is
submitted, and as a result of violation of either Section 33E-3 (Bid-rigging") or
Section 33E-4 ("Bid-rotating") of Article 33E of the Criminal Code of 1961 of the
State of Illinois approved July 28,1961, as amended.
On behalf of Contractor
Subscribed and sworn to before me
this day of, 20
- Notary Public -
My Commission Expires:

### **SUBCONTRACTORS**

The following list includes all Subcontractors who will perform work representing five percent (5%) or more of the total base bid. The Bidder represents that the Subcontractors are qualified to perform the work required.

Category	Subcontractor Name	Address
1		
_		
3		
6		
7		
_		
9		
10		

### **REFERENCES**

### Hoffman Estates IL 60169

Ref 1.	erences for: Company Name:	
	Address:	
	City-state:	
	Phone Number:	
	Contact Person:	
2.	Company Name:	
	Address:	
	City/State:	
	Phone Number:	
	Contact Person:	
3.	Company Name:	
	Address:	
	City/State:	
	Phone Number:	
	Contact Person:	
4.	Company Name:	
	Address:	
	City/State:	
	Phone Number:	
	Contact Person:	

### STATEMENT OF EXPERIENCE

The Bidder shall list all recent projects for which he provided services of a similar nature to the subject project.

Project/Location	Contract Amount	Reference/Phone #
1		
2		
3		
4		
5		
6.		
7		
8		
9.		
10		
11		
12		
13		
14		
15		

### HOFFMAN ESTATES PARK DISTRICT Hoffman Estates, Illinois

Dlaaca lic	t all of the c	aquinment vo	yu will be usin	g on this spec	rific ioh	
					-	
1						
2						
т. <u></u>						

#### SUSTAINABILITY STATEMENT

#### Introduction

The Hoffman Estates Park District is committed to green and sustainable practices and good environmental stewardship. Consequently, we are asking bidders to provide a Statement of Sustainability to ensure our bidders are also incorporating sustainability into their firm's practices.

#### Instructions

Provide a clear description of your firm's sustainable practices, policies or procedures to the below sections or attach a copy of your practice. These practices may include but are not limited to:

<u>Waste Minimization</u> within the office or facilities through recycling programs, double-sided copying, electronic internal communications, recycled content in materials, reusable cups, limited printing, electronic document management, green purchasing policies, green cleaning supplies or reduced packaging in materials procured or supplied.
Energy Efficiency within office, facilities or firm through lighting retrofits, photo sensor switches for lighting, use of day lighting, Energy Star rated appliance or equipment, alternative fuel or efficient fleet, anti-idling policy, or indoor temperature management.
Water Efficiency in office, facilities or firm through faucet or fixture retrofits, switch individual bottled water to office water coolers or drinking fountains, drought tolerant landscaping.

<u>Staff</u> are encouraged to be sustainable and supported by your firm through public transit benefits, bicycle accommodations, telecommuting options, support to attend green seminars, US Green Building Council LEED accredited or the creation of an internal green team.
Education of your staff about green practices, your business peers of your green accomplishments, your community of your sustainability, or any environmental awards your firm has achieved.

# FAIR EMPLOYMENT PRACTICES AFFIDAVIT OF COMPLIANCE

Ι,		(name of person making the affidavit),			
being duly sworn, deposes and says that he is the		(title) of			
I,					
HOLD HARMLESS AGREEMENT		to indomnify hold homology and defend the			
Hoffman Estates Park District, its consultants for this Proje	ct, agents, servants	to indemnify, hold harmless and defend the and employees, and each of them against and hold them			
harmless from any and all liability, loss, cost, damages and expenses, compensation, and expense (including reasonabl has or which may hereafter accrue, directly or indirectly, for and unforeseen, resulting from, arising out of, or incurred be bodily injury, including death, or property damages arising Contract, whether such operations be by himself or by any either of them.  Signed this: day of	e attorneys' fees and r or on account of a y reason of claims, out of, or resulting subcontractor or by	d court costs) which the undersigned now any and all known and unknown, foreseen actions, or suits based upon or alleging from the Contractor's operations under this			
Ву:					
Title:					
Address:					
City State	Zip				
Subscribed and sworn before me					
this day of	, 20				
Notary Public					