HOFFMAN ESTATES PARK DISTRICT Hoffman Estates, Illinois

FORM OF PROPOSAL

Proposal of	, hereinafter called the
"BIDDER", (a) / (an)	,
(Corporation, Partnership,	
individual) doing business as	, to Hoffman Estates
Park District, hereinafter called the "OWNER."	
* * *	
The Bidder, in response to your advertisement for bids for installation equipment at Willow Park and Community Park having examined the other Documents and being familiar with all of the conditions surroundin (purchase/sale) including availability of materials and labor, hereby proposed and supplies and to construct the project in accordance with the within the time set forth therein and at the prices stated below. These pexpenses incurred in performing the work required under the Contract Eproposal is a part.	e Specifications and ag the proposed work boses to furnish all labor, he Contract Documents, prices are to cover all
Bidder acknowledges receipt of the following Addenda, which are a part	of the Contract
Document: Numbers:,,,	

SCOPE OF WORK & BIDDERS PROPOSAL

General

The Contractor shall provide:

- 1. Equipment and manpower shall be provided in suitable size and number to satisfy and complete the work according to site material conditions, schedule and weather.
- 2. Provide adequate staff to review the Contract Documents and request, in writing, any additional information required well in advance of the actual fabrication or installation. Coordinate and communicate installation information with all other trades where there is interface, connection or contact with a product or work being installed and/or supplied by others.
- 3. If this Contractor is determined to impede the progress of the project schedule, the work delaying such progress will be passed over in a normal course of business and this Contractor shall be responsible for installing the work under other means and paying for additional costs, remedial work or damages resulting from such action.
- 4. Provide markers indicating limits of work and clear identification of items and areas requiring protection. Provide barricades, warning signs, and warning lights at conditions where there is a danger of injury to persons, or materials falling into excavations, pits, or depressions in the surrounding grade. This contractor is solely responsible for determining the potential for injury to persons and damage to property. Where such potential is present, take appropriate protective measures. Protect persons from injury and protect existing and new improvements from damage caused directly or indirectly by construction operations.
- 5. The Trade Contractor shall be liable and responsible for payment of all OSHA fines and/or other penalties against their work for failure to comply with all such requirements. Trade Contractor shall also reimburse the Owner for all OSHA and other fines and/or penalties charged to the Owner due to Trade Contractor's negligence.
- 6. Clean up shall be on a daily basis. This shall include sweeping and other housekeeping methods necessary to maintain the building, and removal of debris from streets, roads, and landscaped areas. All unused materials, packaging, debris, food-related items shall be placed in rubbish containers and daily removed from the site.
- 7. Submit the following information within five (5) days after bidding, when requested: a) average size crew anticipated; b) approximate number of man-days anticipated for each major function of work; c) delivery dates of major equipment or fixtures; and, e) references and financial qualifications. All shop drawings shall be submitted within twenty-one (21) days of the Contract date.
- 8. No extras shall be accepted on this project unless initiated by the Owner. Discrepancies, exclusions, clarifications regarding each contractor's scope of work shall be addressed by contractor, in writing, and to the architect during the bidding process.

Installation of Playground

The specifications and drawings are to govern the extent of the Work required or reasonably incidental to this Bid package. The following list of Work items is to be included and considered complementary to the drawings and specifications:

Furnish all labor, tools, materials, and equipment required and necessary to complete the following:

Inventory Pre-engineered playground structure provided by the owner at the job site including parts
inventory and condition. Any irregularities shall be immediately communicated to the owner upon
acceptance of the material by the contractor prior to commencement of work. Should deficiencies be
identified after acceptance of material by the contractor the owner will make assist in trying to resolve

- the issue, however should the issue not be resolved by owner's effort the contractor will be held responsible for resolving the issue at his own cost.
- 2. The playground area shall be graded to a depth minus one foot below finish grade. Any deviation from the manufactures design shall be communicated in writing to the owner.
- 3. The Contractor shall install the playground in accordance with the manufactures directions and or installation procedures.
- 4. The Contractor shall take all means to protect the playground against damage during construction from either his own crews or third parties.
- 5. The Contractor is responsible for any and all incidental material (i.e. nails, rivets, caulk, etc.) necessary to complete the project. The Contractor is encouraged to contact the manufacture to determine what items are and are not included as part of the pre-engineered Shelter package being provided. The Contractors bid price shall take into account all items necessary but not included.
- 6. Prior to final acceptance the contractor shall clean the structure and repair any blemishes caused by his work or damage caused by a third party.
- 7. The contractor is responsible for the protection of all park amenities (not limited to and including all concrete, site furnishings, vegetation other than turf, parking lot and drive asphalt, signage etc.) and shall be responsible for the repair should damage occur. Contractor will make every attempt to minimize damage to turf areas and provide grading to correct such damage caused by his work.
- 8. The contractor is responsible for the removal and proper disposal for all debris associated with the shipment and installation of playground equipment and fall surface.
- 9. Prior to final acceptance the owner shall schedule an inspection by the manufactures representative to identify any and all installation deficiencies. Such deficiencies shall be corrected by the contractor in timely manner. Should a deficiency be identified by the manufacture which is not the fault of the contractor, the contractor shall be reimbursed for correction of said deficiency as an extra to the contract.

Installation of Concrete

- 1. The contractor is responsible for the setting of grades and stakes necessary to complete the installation of concrete work.
- 2. The contractor is responsible for excavation, removal and proper disposal of all existing concrete, asphalt, pavers, stone and earth within areas designated for new concrete.
- 3. The contractor is responsible for compaction of all subgrades, supply and installation and compaction of all stone base materials.
- 4. The Contractor is responsible for supply and setting of all staking materials necessary to pour concrete. All final grades must conform to The Americans with Disabilities (ADA) maximum slope requirements for walkways.
- 5. The Contractor is responsible for the supply placement and finishing of all concrete according to specifications.
- 6. The Contractor is responsible for the removal and proper disposal of all staking material.
- 7. The Contractor is responsible for the removal and proper disposal of all excess stone and concrete over pour. Contractor is responsible for the rough backfill with clean fill of all areas adjacent to the concrete pour.

Installation of Synthetic Turf Fall Surface

1. The owner shall supply and install Synthetic Fall Surface capable of meeting a fall height of eight foot zero inches (8'-0") with a test rating that does not exceed 750 HIC and 175 G's. tested upon completion of the installation.

Bid Price shall be based on the following item pricing: final contract amount shall be determined based upon unit quantities approved and installed. Unit pricing provided below shall prevail for all ads and deducts unless otherwise noted on this bid form.

The Owner reserves the right to limit the award of items or limit the quantity of work performed under any item. Should a quantity be reduced in any one item, the final quantity shall be no less than 50% of the bid quantity provided on this form of proposal.

WILLOW PLAYGROUND

Site Security

WSS-1

The Owner will provide, install and maintain all necessary fencing materials for this project. Contractor shall provide his own lock to lock along owners lock and chain.

Demolition

W D-1

The owner will complete all demolition work and remove demolished materials from the site.

Installation of Playground Equipment Willow Park

Contractor to install one playground for children 2-12 years old, one Tri Runner, one three bay swing structure, one spring rockers and four play panels.

Installation contractor will be responsible for the transport of all playground equipment to the job site from the owner's maintenance yard located at 2352 Hassel Road in Hoffman Estates. For information about the Gametime playground equipment being installed call Cunningham Recreation ask for Doug Oberbroeckling at 815-355-9225. The material cost of the delivered playground equipment for this park project was \$64,683.79

Total Cost to install Willow Playground equipment \$	
--	--

Installation of Drainage Pipe

WD-1

Contractor to locate existing underground outfall structure and extend this conduit using the following materials to provide drainage to proposed playground area

400 lin. Ft. 6" flat drainage pipe with fabric sock Cost per lin. ft.\$	Total cost\$
Note: A source for 6"flat pipe is Erotex Inc. 866-437-6839	
110 lin. Ft. 4" round drainage pipe with fabric sock Cost per lin. ft.\$	Total cost\$
Bid//PG Install 2019	

4.2.2019 - Page 4 of 17

5 T connectors	5 total X \$ per connector = Total cost \$		
3 y connectors	3 total X \$ per connector = Total cost \$		
7 Round to flat connectors.	7 total X \$per connector = Total cost \$		
2- 4" Round cap	2 total X \$per cap = Total cost \$		
1 straight splice connectors	1 total X \$ per connector = Total cost \$		
Total Cost of Willow Inst Wood Fiber Loose Fill Fall Surface and Fi WFS	tallation of Drainage Pipe \$ Iter Fabric		
Contractor to supply and place non-woven 32oz filter fabric on sub-grade area of playground. Supply place and compact no less than 12" of wood fiber fall surface to playground area. Contractor will have to provide fall surface testing documentation from an independent agency prior to placement of material.			
Cost of WFS -1 655 sq yds. of fabric	(cover area) at \$ per sq yard \$		
Cost of WFS -2 350 cu yds. at \$	per cu yard total price \$		
Total Cost of Willow Wood Fiber Loose Fi Synthetic turf fall surface concrete slab ins WSTF			
Contractor to supply and place/compact stone base, supply/place and finish concrete per finish grades supplied by owner. SPECIAL NOTE the concrete wooden forms in this pour shall be ground contact pressure treated and be left in place after concrete is finished. Galvanized nails shall be used to anchor these wooden forms into the concrete as per detail 6/4 on the drawings.			
The owner will provide and install all padding and synthetic turf to complete this item.			
Total Cost of 437 square feet of synth	etic turf fall surface \$		
TOTAL BID PRICE WILLOW PA CONCRETE, PLAYGROUND INSTERIOR SURFACE AND SYNTHETIC TURE (ALL YELLOW WILLOW)	TALLATION, DRAINAGE & WOOD FALL		

COMMUNITY PLAYGROUND

Site Security

CSS-1

The Owner will provide, install and maintain all necessary fencing materials for this project. Contractor shall provide his own lock to lock along owners lock and chain.

Demolition

CD-1

The owner will complete all demolition work and remove demolished materials from the site.

Concrete Work

CC-2

Contractor to supply, place/compact stone base in areas designated for new flat work. Form, supply and set 6x6 #10 reinforcement wire. Supply and place 5" thick minimum concrete to walks and ramps with expansion and control joints according per plans and specifications. Owner to complete all curb work concrete according to plans.

Cost of CC-2- 1,995 sq ft. x per sq. ft = \$_____

Total Cost of Community Concrete flatwork items CC1&CC2

\$

Installation of Playground Equipment Community Park

Contractor to install one playground for children 2-5years old, one playground for children 5-12 years old, two one bay swing structures, two whirl wind seats and one arch swing structure. Installation contractor will be responsible for the transport of all playground equipment to the job site from the owner's maintenance yard located at 2352 Hassel Road in Hoffman Estates. For information about the Gametime playground equipment being installed call Cunningham Recreation ask for Doug Oberbroeckling at 815-355-9225. The material cost of the delivered playground equipment for this park

project was \$42,899.12

Total Cost to install Community Playground equipment \$_____

Installation of Drainage Pipe

CD-1

Contractor to located existing underground outfall structure and extend this conduit using the following materials to provide drainage to proposed playground area

500 lin. Ft. 6" flat drainage pipe with fabric so Note: A source for 6" flat pipe is Erotex Inc. 866-		Total cost\$
135 lin. Ft. 4" round drainage pipe with fabric	e sock Cost per lin. ft.\$	Total cost\$
8 y connectors	3 total X \$ per connected	or = Total cost \$
7 Round to flat connectors.	7 total X \$per connected	or = Total cost \$
2- 4" Round cap	2 total X \$per cap	= Total cost \$
1 straight splice connectors	1 total X \$ per connecte	or = Total cost \$
Total Cost of Community	Installation of Drainage P	ipe
Wood Fiber Loose Fill Fall Surface and File CFS Contractor to supply and place non-woven 32 place and compact no less than 12" of wood for to provide fall surface testing documentation Cost of CFS -1 800 sq yds. of fabric (cost of CFS -2 400 cu yds. at \$	oz filter fabric on sub-grade iber fall surface to playgroun from an independent agency cover area) at \$ per sq	nd area. Contractor will have prior to placement of material.
Total Cost of Community Wood Fiber Loo	se Fill CFS-1 & CFS -2	<u>\$</u>
Basketball Goal installation CBBGI Installation of Two (2) Basketball Backboard manufactures recommendations. Total Cost of Community Basketball Goals		pards and rims according to
TOTAL BID PRICE COMMUNITY CONCRETE, PLAYGROUND INST SURFACE and BASKETBALL GO. (ALL YELLOW COMMUNITY)	TALLATION, DRAINA	· -

GRAND TOTAL BID PRICE WILLOW &	& COMMUNITY I	PLAYGROUN	DS,
\$			
ALL AQUA			
ALTERNATE ADD UNIT PRICING Hauling cost for a six wheel dump truck to haul and of Estates Park District boundary. VOLUNTARY ALTERNATES The contractor is encouraged to provide Voluntary A modification to the Base Bid and shall not be included.	Cost per truck long liternates. All Voluntary and in the Base Bid.	oad \$	
Description of Alternate Proposed (state any change i	in time required):		
PRICES	Add/Deduct	\$	UNIT
The following unit prices include overhead and profit equipment, all applicable taxes and fees, and utility a unit of work and remain valid for the duration of the	nd transportation service		
Hourly wage for laborer	\$		
Hourly wage for Supervisor	\$		
Hourly rate 6-wheeler with driver Hourly rate skid steel loader with operator	\$ \$		
Accompanying this is a			
Accompanying this is a(Bid Bond, Certified 0	Check, Bank Draft)		
In the amount of			
(Dollars	s)		_
(\$) being five percent (5% subject to forfeiture in the event of default by the	b) of the Base Contract undersigned.	et Bid, the same	being

In submitting this bid, it is understood that the right is reserved by the Owner to reject any and all bids and it is agreed that this bid may not be withdrawn during the period of days in the Contract Documents.

The Bidder hereby certifies:

- A. That this bid is genuine and is not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation.
- B. That he has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid.
- C. That he has not solicited or induced any person, firm, or corporation to refrain from bidding.
- D. That he has not sought by collusion or otherwise to obtain for him any advantage over any other bidder or over the "Owner."
- E. That he will comply with all provisions of the Prevailing Wage Ordinance #O-17-04 adopted by the Hoffman Estates Park District.
- F. That he is in compliance with the Criminal Code Act of 1961, Article 33E-11, Public Contracts, and Public Act 85-1295.
- G. That all materials, methods and workmanship shall conform to the drawings, specifications, manufacturer's standards and specifications, and all applicable Codes and Standards.
- H. The bidder understands that the Hoffman Estates Park District looks favorably on minority businesses as sub-contractors for supplies, equipment, labor services and construction.

HOFFMAN ESTATES PARK DISTRICT	COMPANY	
BY:(Sign and Date)	ADDRESS	
	PHONE	
	EMAIL:	
	BY:	

CERTIFICATION

I, (Officer), having been first duly sworn on Oath, state
that I am the duly authorized principal, officer or agent of
(Name of Contractor) and do hereby certify to Hoffman Estates Park District, its
Commissioners, Officers and Employees that neither I nor
(Name of Contractor) are barred from bidding on the Contract for which this bid is
submitted, and as a result of violation of either Section 33E-3 (Bid-rigging") or
Section 33E-4 ("Bid-rotating") of Article 33E of the Criminal Code of 1961 of the
State of Illinois approved July 28,1961, as amended.
On behalf of Contractor
Subscribed and sworn to before me
this day of, 20
- Notary Public -
My Commission Expires:

SUBCONTRACTORS

The following list includes all Subcontractors who will perform work representing five percent (5%) or more of the total base bid. The Bidder represents that the Subcontractors are qualified to perform the work required.

Category	Subcontractor Name	Address
1		
15.		

REFERENCES

Hoffman Estates IL 60169

Ref 1.	erences for: Company Name:	
	Address:	
	City-state:	
	Phone Number:	
	Contact Person:	
2.	Company Name:	
	Address:	
	City/State:	
	Phone Number:	
	Contact Person:	
3.	Company Name:	
	Address:	
	City/State:	
	Phone Number:	
	Contact Person:	
4.	Company Name:	
	Address:	
	City/State:	
	Phone Number:	
	Contact Person:	

STATEMENT OF EXPERIENCE

The Bidder shall list all recent projects for which he provided services of a similar nature to the subject project.

Project/Location	Contract Amount	Reference/Phone #
1		
2		
3.		
4		
5		
6.		
7		
8		
9		·
10		·
11		
12		
13		
14		
15.		

HOFFMAN ESTATES PARK DISTRICT Hoffman Estates, Illinois

SUSTAINABILITY STATEMENT

Introduction

The Hoffman Estates Park District is committed to green and sustainable practices and good environmental stewardship. Consequently, we are asking bidders to provide a Statement of Sustainability to ensure our bidders are also incorporating sustainability into their firm's practices.

Instructions

Provide a clear description of your firm's sustainable practices, policies or procedures to the below sections or attach a copy of your practice. These practices may include but are not limited to:

te Minimization within the office or facilities through recole-sided copying, electronic internal communications, recolersided copying, electronic internal communications, recolers, reusable cups, limited printing, electronic document purchasing policies, green cleaning supplies or reductions procured or supplied.	recycled content in ent management, ced packaging in
gy Efficiency within office, facilities or firm through light or switches for lighting, use of day lighting, Energy Sta oment, alternative fuel or efficient fleet, anti-idling policy erature management.	r rated appliance or y, or indoor
er Efficiency in office, facilities or firm through faucet or idual bottled water to office water coolers or drinking for ant landscaping.	ountains, drought
or switches for lighting, use of day lighting, Energy Statement, alternative fuel or efficient fleet, anti-idling policy perature management. Exercised Statement Sta	r rated appliance or y, or indoor fixture retrofits, switcountains, drought

transit be attend gre	encouraged to be sustainable and supported by your firm through nefits, bicycle accommodations, telecommuting options, support to seen seminars, US Green Building Council LEED accredited or the
creation o	f an internal green team.
accomplis	of your staff about green practices, your business peers of your community of your sustainability, or any environmer our firm has achieved.
accomplis	shments, your community of your sustainability, or any environmer
accomplis	shments, your community of your sustainability, or any environmer

FAIR EMPLOYMENT PRACTICES AFFIDAVIT OF COMPLIANCE

I,					(name of person making the		
affidavit),	being duly sworn, deposes	and says that he is the		_ (title) of			
affidavit), being duly sworn, deposes and says that he is the						ces, Equal Employment ontents thereof; that he cunity employer as defined	
HOLD	HARMLESS AGR	EEMENT					
			(company na	ame) agrees to	indemnify, hold	harmless and defend	
the Hoffm	an Estates Park District, its	consultants for this Pro	oject, agents, sei	rvants and emp	loyees,		
from onv	(Construc	ction Company), and its	s sub consultant	s, and each of t	them against and	hold them harmless	
	and all liability, loss, cost, on tion, and expense (including						
	accrue, directly or indirectly						
	ing out of, or incurred by re						
	lamages arising out of, or re					such operations be	
by himself	f or by any subcontractor o	r by anyone directly or	indirectly emplo	oyed by either o	of them.		
Signed thi	s: day of	, 20					
C							
	By:						
	Title:						
	A 44						
	Address:						
	City		State	Zip			
Subscribed	d and sworn before me						
this	day of			·			
	Notary Pu	blic					